

# Parametry

## ANTRACYT

Oznaczenie			AK	AKO	AO	AM	AS	ASZ
Granulacja [mm]			100 - 50	100 - 25	70 - 25	25 - 13	13 - 6	6 - 0
Wartość opałowa	[Qir]	ca. [kJ/kg]	29.300	29.300	29.000	28.000	27.000	24.000
Wilgotność	[Wtr]	max	6,00%	6,00%	6,00%	7,00%	9,00%	12,00%
Siarka	[Str]	max	1,00%	1,00%	1,00%	1,00%	1,00%	1,00%
Popiół	[Ad]	max	6,00%	6,00%	6,00%	8,50%	11,00%	16,00%
Części lotne	[Vdaf]	max	3,00%	3,00%	3,00%	3,50%	3,50%	4,00%
Podziarno		max	10,00%	10,00%	10,00%	12,00%	12,00%	-
Nadziarno		max	10,00%	10,00%	10,00%	10,00%	10,00%	10,00%